

Lign[®]

LIGHT & DESIGN BY LUMINA




Catalogue 2019-2020

GENERAL EDITION

Visit us online / www.lign.be

ENERGYCLASS LABELS

ENERGIEKLASSE ETIKETTEN



From march 2014 on, according to the directive 874/2012, it will be required to affix a label that shows the energy class of the light source to your product on display. Each possible label is shown above. The appropriate label of each light fitting can be asked as a PDF-file or be printed on demand.

Vanaf maart 2014, in overeenstemming met de nieuwe richtlijn 874/2012, zal het nodig zijn elk geëtaleerd product, dat een lichtbron bevat te etiketteren met een label dat de energieklassen van de lichtbron weergeeft. U vindt de mogelijke labels hierboven terug. Het desbetreffende label kan op aanvraag als PDF-bestand verstuurd of eventueel geprint worden.



LIGHT & DESIGN BY LUMINA



CONTENT

SPOTLIGHTS 12V/350MA	5
SPOTLIGHTS 240V	10
SPOTLIGHTS WITH INTEGRATED SENSOR	12
READING LIGHTS	16
MINISTRIP LED	26
PROFILES	27
PROFILES FLEXIBLE	32
SURFACE MOUNTED LIGHTING FOR GLASS SHELVES	33
TRACK LIGHTING	34
LIGHTING FOR CABINET AND MIRROR	36
DECOLIGN WITH FILAMENT BULB	52
O-LED	57
QI CHARGERS	59
POWERBOX IP44	61
POWERBOX IP21	63
LEDSTRIPS	67
TOUCH DIMMER	73
SENSOR AND SWITCHES	74
ADAPTERDRIVER	77
DRIVER	78
PLUGS	79

SPOTLIGHTS




7288



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7288	0,3W	12V DC	30	3000K	13MM	17x15MM

- COLOUR: CHROME
- LED
- IP21
- PVC
- BUILT-IN




7301



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7301	0,3W	12V DC	110	3000K	15MM	22x31MM

- COLOUR: CHROME
- LED
- IP65
- METAL
- BUILT-IN




7206



SPECIFICATIONS

ART.N°	W	V	IBØ	BØ	MATERIAL
7206	1W	12V DC	30MM	33x15MM	ALU
7207	1W	12V DC	45MM	50MM	ALU
7201	1W	350mA	24MM	32x10MM	PVC
7313	1W	12V DC	24MM	32x10MM	PVC

- COLOUR: ALU BRUSHED
- LED 80 LUMEN
- IP21
- ALUMINIUM
- BUILT-IN
- 3000K



7207



7201



7313

ALSO AVAILABLE


7293



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
7293	3W	12V DC	150	3000K/4000K/6000K	100x100x5MM	WHITE
7363	3W	12V DC	150	3000K/4000K/6000K	100x100x5MM	BLACK
7295	6W	12V DC	350	3000K/4000K/6000K	100x200x5MM	WHITE
7297	9W	12V DC	500	3000K/4000K/6000K	100x300x5MM	WHITE

- COLOUR: WHITE
- LED
- PVC
- FIXATION WITH TAPE OR SCREWS



ALSO AVAILABLE



7363



7295



7297

7286




SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7286	3W	12V DC	280	3000K	57MM	62x10MM

7286 SURF. MOUNTED	3W	12V DC	280	3000K	57MM	62x15MM
-----------------------	----	--------	-----	-------	------	---------

- COLOUR: SILVER GREY
- COB LED
- IP21
- ALUMINIUM



7286 SURFACE MOUNTED

- HEIGHT: 12MM
- SILVER GREY
- PVC RING
- SURFACE MOUNTED




7308



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7308	3W	12V DC	250	3000K	58MM	68x14MM

- COLOUR: SILVER GREY
- SMD LED
- IP21
- ALUMINIUM




7283



SPECIFICATIONS

ART.N°	W	V	LUM	IBØ	BØ
7283	2W	12V DC	180	57MM	70x8,5MM
7283 SURFACE MOUNTED	2W	12V DC	180	-	70x11,2MM

- COLOUR: SILVER GREY
- 15 PCS 2835 LED SMD
- IP21
- PVC
- 3000K / 4000K / 6000K



7283 SURFACE MOUNTED

ALSO AVAILABLE



7348 BLACK



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7348 BLACK	2W	240V	160	4000K	50MM	73x15MM
7348 INOX	2W	240V	160	4000K	50MM	73x15MM
7348 WHITE	2W	240V	160	4000K	50MM	73x15MM

- SMD LED
- IP44
- PVC




7364



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7364	5W	240V	300	4000K	68MM	82x32MM

- COLOUR: WHITE
- SMD LED
- IP44
- PVC




7354 BLACK



SPECIFICATIONS

ART.N°	W	V	LUM	K	IBØ	BØ
7354 BLACK	5W	240V	380	3000K	68MM	82MM
7354 WHITE	5W	240V	380	3000K	68MM	82MM
7142 BLACK	5W	240V	380	3000K	68MM	82x100MM

- COLOUR: BLACK, WHITE
- COB LED
- GU 10



7354 WHITE



7142 BLACK

ALSO AVAILABLE


WL 1968




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL1968	2,5W	12V DC	160	3000K	66x190x7MM

- 30 PCS SMD LED 3014
- PC
- SURFACE MOUNTED
- WAVE SENSOR




WL 2050



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2050	3W	12V DC	220	6000K	395x34x17,4MM

- SMD LED
- IP 21
- SURFACE MOUNTED
- PIR SENSOR




7307



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
7307	1,8W	12V DC	85	4000K	40x12,5x145MM

- COLOUR: GREY
- 6 PCS 5630LED
- IP21
- ALUMINIUM
- SURFACE MOUNTED OR RECESSED




WL 2105



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2105	2,4W	12V DC	150	4000K	42x13x200MM

- COLOUR: GREY
- 19X3014LEDS
- IP21
- ALUMINIUM
- SURFACE MOUNTED




7361 BATTERY LIGHT



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	SENSOR	MATERIAL
7361	1W	3,7V DC	120	4000K	190x30x15MM	PIR	PC
7368	2W	5V DC	120	3000K	Ø80x24MM	PIR	PC
7358	0,6W	330mA	36	3000K	68x28x11MM	DOOR	PC
7360	1W	900mAh	100	4000K	330x34.5x15MM	PIR	PC
7369	2W	5V DC	120	3000K	201x39x11MM	DOOR/WAVE	PC

- COLOUR: GREY
- SMD LED
- IP21
- SURFACE MOUNTED



ALSO AVAILABLE



7368



7358



7360



7369

READING




WL 2114



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2114	1W+8W	350mA	100	3000K	153x53MM

- COLOURS: GREY / BLACK
- POWERLED
- SWITCH ON BASE
- IP21
- USB CHARGER INCLUDED
- PC



WL 2114 USB

- USB 5V 2.1A





WL 2195



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2195	1,5W+8W	12V DC	100	3000K	Ø20MM - 580MM

- COLOUR: GREY
- POWERLED
- IP21
- SWITCH ON BASE
- USB CHARGER INCLUDED
- ALUMINIUM




WL 2115



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2115	2,1W+10W	12V DC	150	3000K	Ø60mm - 546MM

- COLOURS: BLACK / WHITE / GREY
- SMD LED
- IP21
- 2X USB CHARGER INCLUDED: 5V 2A - 5V 1A
- ALUMINIUM
- TOUCH DIMMER



WL2115

ALSO AVAILABLE


WL 2390



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2390	1,2W	350mA	100	6000K	Ø70x60MM

- COLOUR: POWDER COATED RAL9006
- POWER LED
- IP21
- SWITCH ON BASE
- ALUMINIUM




WL 2023



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2023	1W	350mA	100	6000K	Ø45x15MM

- COLOUR: POWDER COATED RAL9006
- POWER LED
- IP21
- FLEXIBLE 400MM
- INTEGRATED SWITCH
- ALUMINIUM




WL 2110



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2110	1W	350mA	100	4000K	Ø35x44MM

- COLOUR: POWDER COATED RAL9005
- POWER LED
- IP21
- FLEXIBLE 400MM
- ALUMINIUM




WL 2183



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2183	1,6W	500mA	100	3000K	Ø22MM - 320MM

- COLOUR: CHROME
- POWER LED
- IP21
- FLEXIBLE 400MM
- ALUMINIUM




WL 1491



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
WL1491	1W	350mA	100	6000K	Ø30MM - 460MM	POWDER COATED RAL9006 - CHROME
WL1828	3W	700mA	100	6000K	Ø30MM - 460MM	CHROME BLUE PURPLE WHITE

- POWER LED
- IP21
- ALUMINIUM
- SWITCH ON SPOTHEAD



WL1828



WL1828 - BLUE



WL1828 - PURPLE




WL1828 - WHITE



WL1828 - BLACK

ALSO AVAILABLE

WL 2391




ALSO AVAILABLE

SPECIFICATIONS

ART.N°	W	V	LUM	K
WL2391	5W	5V	250	3000K-6000K
WL2383	5W	5V	250	3000K-6000K

- COLOUR: BLACK
- LED CCT
- TOUCH SWITCH/DIMMER
- ALUMINIUM



WL2383


WL 2024



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2024	1,2W	240V	100	4000K	Ø80MM 300MM

- COLOUR: POWDER COATED RAL9006 / CHROME
- LED
- IP21
- SPOTHEAD ROUND




WL 2161



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2161	1W	240V	110	4000K	Ø110x35MM - Ø25x90

- COLOUR: BLACK
- LED
- IP21
- TOUCH SWITCH




WL 2147



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2147	2,5W	350mA	110	3000K	Ø55MM - Ø30MM - 90MM

- COLOUR: BLACK
- LED
- IP21





WL 2196



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2196	3W	240V	110	3000K	104x70x25MM Ø35

- COLOUR: CHROME
- LED
- IP21
- TOUCH SWITCH




WL 2350



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2350	5W	220V	100	4000K	Ø54x75MM

- COLOUR: POWDER COATED RAL9005
- LED GU 10
- IP21
- FRONTAL FIXATION




WL 2392



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2392	3W	220V	120	3000K	210x400MM

- COLOUR: WHITE / BLACK
- LED E14
- IP21
- FRONTAL FIXATION



PROFILES



MINISTRIP LED




SPECIFICATIONS


ART.N°	LENGTH	W	LED	K	LUM
MINISTRIP LED	296x23x37MM	6,4	2835	3000K/4000K	515
MINISTRIP LED	525x23x37MM	9,5	2835	3000K/4000K	785
MINISTRIP LED	857x23x37MM	17	2835	3000K/4000K	1360
MINISTRIP LED	904x23x37MM	17	2835	3000K/4000K	1360
MINISTRIP LED	1157x23x37MM	19,5	2835	3000K/4000K	1650



- SURFACE MOUNTED
- 240V
- CLIPS
- CONNECTION WIRES





WL 2076



SPECIFICATIONS


ART.N°	BXH	COLOUR	MATERIAL	EXTRA
WL2076	10,5x8,5MM	MILKY WHITE OR TRANSPARENT	PC	CLIPS + COVERS
WL1642	17x16MM	MILKY WHITE	PMMA	METAL BASE
WL1283	36x36MM	MILKY WHITE	PMMA	ALU BASE
WL2035	5x16MM	MILKY WHITE	PMMA	-
WL2381	10x13MM	MILKY WHITE	PMMA	-

- LED STRIPS SEE P66



FIXATION CLIPS

ALSO AVAILABLE



WL1642



WL1283



WL2035



WL2381



WL 1743



SPECIFICATIONS

ART.N°	BXH	MATERIAL	EXTRA
WL1743	18x18MM	ALU+PMMA	CLIPS + ENDCAPS
WL1744	16x16MM	ALU+PMMA	CLIPS + ENDCAPS
WL2180	Ø15MM	ALU+PMMA	CLIPS + ENDCAPS
WL1746	20x20MM	ALU+PMMA	CLIPS + ENDCAPS
WL1775	16x16MM	ALU+PMMA	CLIPS + ENDCAPS


- LED STRIPS SEE P66
- ALUMINIUM ANODISED
- PMMA COVER




WL1744



WL2180



WL1746



WL1775

ALSO AVAILABLE


WL 2377




SPECIFICATIONS

ART.N°	BXH	MATERIAL	EXTRA
WL2377	7,8x12MM	ALU+PC	CLIPS + ENDCAPS
WL2367	10(18)x13MM	ALU+PC	CLIPS + ENDCAPS
WL2373	18x13MM	ALU+PC	CLIPS + ENDCAPS
WL2374	14x8MM	ALU+PC	CLIPS + ENDCAPS
WL2375	20x27MM	ALU+PC	CLIPS + ENDCAPS
WL2376	23,5x21MM	ALU+PC	CLIPS + ENDCAPS

- LED STRIPS SEE P66



ALSO AVAILABLE



WL2367



WL2373



WL2374



WL2375



WL2376


WL 2307



SPECIFICATIONS

ART.N°	BXH	MATERIAL	EXTRA
WL2307	14,5x10x2x35,4MM	ALUMINIUM+PMMA COVER	CLIPS + ENDCAPS
WL2308	14x15MM	PMMA	CLIPS + ENDCAPS
WL2309	30x10MM	ALUMINIUM+PMMA COVER	CLIPS + ENDCAPS
WL2310	10,5x70MM	ALUMINIUM+PMMA COVER	CLIPS + ENDCAPS

- LED STRIPS SEE P66
- ALUMINIUM ANODISED
- PMMA COVER



ALSO AVAILABLE



WL2308



WL2309



WL2310


WL 2078



SPECIFICATIONS

ART.N°	BØ	MATERIAL
WL2078	17x16x45MM	ALU+PMMA

- LED STRIPS SEE P66
- ALUMINIUM ANODISED
- PMMA COVER




WL 1692



SPECIFICATIONS

ART.N°	BØ	MATERIAL
WL1692	30x19,4x10MM	ALU+PMMA

- LED STRIPS SEE P66
- IP21
- ALUMINIUM
- PMMA COVER
- END CAPS




WL 2084




SPECIFICATIONS

ART.N°	BXH	MATERIAL	IP
WL2084	18x5MM	ALUMINIUM + PMMA	21
WL2199	12x20MM	PMMA	44
WL2288	6x12MM	SILICON	44
WL2394	12x12MM	SILICON	44
WL2393	Ø13MM	SILICON	44

- LED STRIPS SEE P66
- CLIPS AVAILABLE




MIRROR ROUND WITH WL2084




WL2199



WL2288



WL2394



WL2393

ALSO AVAILABLE


WL 1594 - 8MM




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR	MATERIAL
WL1594 8MM	LED STRIPS SEE P66				12x12MM	CHROME/ MAT	STAINLESS STEEL U-SHAPED
WL1595 10MM	LED STRIPS SEE P66				12x12MM	CHROME/ MAT	STAINLESS STEEL U-SHAPED
WL1644	2,1W	12V DC	60	3000K	410x21,5MM	WHITE	PC
7314	0,3W	12V DC	18	6000K	40x30MM	CHROME	METAL
7285	0,3W	12V DC	19	3000K	66x15,5MM	CHROME	METAL

- IP21
- SURFACE MOUNTED
- WL1595 & WL1594: FOR 8-10MM GLASS
- WL1644, 7314, 7285: FOR 4-8MM GLASS



WL1644



7314



7285


WL 2158




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
WL2158	2W	24V DC	110	3000K	Ø22x50MM	BLACK
WL2159	4W	24V DC	160	3000K	183x23MM	ANODISED
WL2160	4W	24V DC	160	3000K	183x18MM	ANODISED

- IP21
- ALUMINIUM
- SURFACE MOUNTED
- MAGNET LIGHTING



WL2159



WL2160

ALSO AVAILABLE

BATHROOM




WL 2238



SPECIFICATIONS

ART.N°	W	V	LUM	BØ	LENGTH
WL2238	15W	240V	1000	95x40MM	800MM
WL1962	3W	12V DC	250	25x10x140MM	300MM
WL1955	10W/M	12V DC	900/M	1000x25x10MM	OTHER ON REQUEST
WL1957	10W/M	12V DC	900/M	1000x25x10MM	OTHER ON REQUEST

- ACRYLIC SHEET 8MM
- LED SMD
- IP44
- ALUMINIUM
- OTHER LENGTHS ON REQUEST
- 3000K/4000K



ALSO AVAILABLE



WL1962



WL1955



WL1957


■ WL 2321



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	LENGTH
WL2321	4,5W	12V DC	220	4000K	200x90x40MM	ALSO 100-300MM
WL2020	6W	12V DC	550	3000K/4000K	600x100MM	OTHER ON REQUEST
WL1880-170	10W/M	12V DC	900/m	3000K/4000K	1000x170MM	OTHER ON REQUEST
WL1880-210	10W/M	12V DC	900/m	3000K/4000K	1000x210MM	OTHER ON REQUEST

- ACRYLIC SHEET 8MM
- LED SMD
- IP44
- ALUMINIUM




■ WL2020



■ WL1880

ALSO AVAILABLE


WL 2163



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	LENGTH
WL2163 CCT	8,6W	12V DC	800	CCT 3000<->6000K	800x225x31MM	OTHER ON REQUEST

- ACRYLIC SHEET 8MM
- LED SMD
- IP44
- ALUMINIUM
- 12 V DC




WL2121-300




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR	FIXATION
WL2121-300	7,2W	12V DC	350	4000K	300x100MM	BLACK	SURFACE MOUNTED
WL2121-200	4,8W	12V DC	250	4000K	200x100MM	BLACK	SURFACE MOUNTED
WL2121-100	2,4W	12V DC	130	4000K	100x100MM	BLACK	SURFACE MOUNTED
WL2298	2,4W	12V DC	130	4000K	100x100MM	SILVER GREY	MIRROR FIXATION


- LED SMD
- IP44
- ALUMINIUM



ALSO AVAILABLE



WL2121-200



WL2121-100




WL2298 GREY



WL2298 BLACK


WL 2125




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
WL2125	4,2W	240V	190	4000K	100x100x20MM	CHROME
WL2125 BLACK	4,2W	240V	190	4000K	100x100x20MM	BLACK
WL2124	5,4W	240V	285	4000K	200x90x20MM	CHROME
WL2124 BLACK	5,4W	240V	285	4000K	200x90x20MM	BLACK

- LED SMD
- IP44
- ABS
- MIRROR AND CABINET FIXATION



WL2125 BLACK



WL2124



WL2124 BLACK

ALSO AVAILABLE


WL 2066 CHROME



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
WL2066 CHROME	4,4W	240V	215	4000K	296x108x38MM	CHROME
WL2066 BLACK	4,4W	240V	215	4000K	296x108x38MM	BLACK
WL2066 CCT	4,4W	240V	215	CCT 3000<->6000K	296x108x38MM	CHROME
WL2066-600 BLACK	7W	240V	600	4000K	596x108x38MM	BLACK
WL2066-600 CHROME	7W	240V	600	4000K	596x108x38MM	CHROME
WL2395	3,5W	240V	180	4000K	180x100x45MM	CHROME


- LED SMD
- IP44
- PC
- PC COVER
- MIRROR AND CABINET FIXATION
- ALSO AVAILABLE WITH [ALEXA VOICE CONTROL SYSTEM](#)



ALSO AVAILABLE



WL2066 BLACK



WL2066 - 600 CHROME



WL2395



■ WL 1911-300



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR
WL1911-300	4,4W	240V	190	4000K	300x115x37MM	CHROME / BLACK
WL1911-500	7W	240V	300	4000K	500x115x37MM	CHROME / BLACK
WL1911-650	7,5W	240V	360	4000K	650x115x37MM	CHROME
WL1911-800	8W	240V	380	4000K	800x115x37MM	CHROME
WL1911-1200	14W	240V	720	4000K	1200x115x37MM	CHROME / BLACK
WL1911-1350	14W	240V	750	4000K	1350x115x37MM	CHROME
WL1911 + SWITCH	7W	240V	300	4000K	500x115x37MM	CHROME
WL2064 + SWITCH	7W	240V	250	2700K	400x144x37MM	CHROME
WL1912	5,7W	240V	250	4000K	290x115x37MM	CHROME

- LED SMD
- IP44
- ALUMINIUM
- PMMA COVER
- SURFACE MOUNTED



■ WL2064+SWITCH

ALSO AVAILABLE



■ WL1912


WL2388



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2388-400	6W	240V	550	4000K	400x122x42MM
WL2388-600	9W	240V	850	4000K	600x122x42MM
WL2388-800	12W	240V	1050	4000K	900x122x42MM

- COLOUR: BLACK
- LED SMD
- IP44
- ALUMINIUM
- PMMA COVER
- 90° FIXATION FOOT




WL1987



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL1987-400	10W	240V	650	4000K	400x100x52MM
WL1987-600	14W	240V	1200	4000K	600x100x52MM
WL1987-800	18W	240V	1600	4000K	800x100x52MM

- COLOUR: CHROME
- LED SMD
- IP44
- ALUMINIUM
- PC COVER
- 90° FIXATION FOOT



WL 1526 - F



SPECIFICATIONS

ART.N°	V	K	BØ	COVER	FIXATION
WL1526 - F IP44	240V	4000K	61x36MM	PMMA COVER	-
WL1526 - F cover IP44	240V	4000K	61x36MM	PMMA PROTECTION FRONTAL ALUMIUM COVER	-
WL1526M IP44	240V	4000K	61x36MM	PMMA COVER	VERTICAL INSTALLATION WALL FIXATION
WL1526M cover IP44	240V	4000K	61x36MM	PMMA PROTECTION FRONTAL ALUMIUM COVER	VERTICAL INSTALLATION WALL FIXATION

- COLOURS: SILVER GREY/CHROME/BLACK
- LED SMD
- IP44
- ALUMINIUM PROFILE
- DIMENSIONS: ON REQUEST



ALSO AVAILABLE



WL1526 - F COVER IP44



WL1526M IP44



WL1526M COVER IP44


■ WL 1386



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR	LENGTH	MAT.
WL1386	5,5W	12V DC	600	3000K 4000K	39x19MM	ALU BRUSHED / CHROME	600MM	ALU
WL2134	7W	240V	550	4000K	120x47MM	CHROME	400MM	PC


- LED SMD
- IP44
- PC



■ WL2134


ALSO AVAILABLE

WL 2126



SPECIFICATIONS


ART.N°	W	V	LUM K		BØ	COLOUR	IP	FIXATION
WL2126	6W	240V	500	4000K	300x95x50MM	CHROME	IP44	CABINET FIXATION
WL2170	6W	240V	450	4000K	300x116x53MM	CHROME	IP44	MIRROR AND CABINET FIXATION
WL2311	5W	12V DC	450	4000k	500xØ60MM	SILVER GREY	IP44	MIRROR FIXATION
WL2305	3W	240V	410	4000K	300xØ28MM	WHITE	IP21	WALL FIXATION
WL2282	12W	240V	450	2200K	600xØ30MM	WHITE	IP21	WALL FIXATION




WL2170



WL2311




WL2305



WL2282

ALSO AVAILABLE


WL 2262




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2262	3,6W	240V	250	4000K	130x48x80MM

- COLOUR: CHROME
- LED SMD
- IP44
- 3-WAY FIXATION





WL 1486 CHROME



SPECIFICATIONS

ART.N°	LUM	K	BØ	COLOUR
WL1486 CHROME	250	6000K	160x40x40MM	CHROME
WL1486 BLACK	250	6000K	160x40x40MM	BLACK

- 3W
- 240V
- IP44
- WALL FIXATION





WL 1910




SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ	COLOUR	LAMP	COVER
WL1910	5,7W	240V	240	4000K	140x85x46MM	CHROME	LED SMD	PMMA
WL1771	3W	12V DC	180	4000K	150x45MM	SILVER GREY	COB LED	PC
WL1795	5W	12V DC	250	4000K	187x30MM	CHROME	COB LED	PC

- IP44
- ALUMINIUM




WL1771



WL1795

ALSO AVAILABLE


■ WL1531



SPECIFICATIONS

ART.N°	W	LUM	K	BØ	COLOUR	LAMP	IP	MAT
WL1531	2,5W	160	3000K	100MM	CHROME	LED G9	IP44	ALU
WL1427-65-T	4,5W	360	3000K 4000K	120x65MM	CHROME	GX53 2835 SMD	IP21	METAL
WL1427-95-T	4,5W	360	3000K 4000K	120x95MM	CHROME	GX53 2835 SMD	IP21	METAL
WL1427-95	4,5W	360	3000K 4000K	120x95MM	POWDER COATED	GX53 2835 SMD	IP21	METAL
WL2363	2W	120	4000K	Ø65x25MM	CHROME	LED	IP44	PC
WL2364	2,6W	200	4000K	Ø65x25MM	CHROME	LED	IP44	PC

- 240V



■ WL1427-65-T



■ WL1427-95-T



■ WL1427-95



■ WL2363



■ WL2364

ALSO AVAILABLE


WL1855



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL1855	5W	12V DC	5x220	4000K	30x15x507mm

- COLOUR: CHROME
- 5 PCS G4 LED
- IP21
- CUSTOM-MADE
- ALUMINIUM + GLASS




WL 1946



SPECIFICATIONS

ART.N°	W	V	LUM	BØ
WL1946	6x2,5W	240V	6x220	50x25x600mm

- COLOUR: CHROME
- G9 LED
- IP21
- CUSTOM-MADE
- ALUMINIUM + GLASS
- 3000K



DECOLIGN




WL 2267



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2267	9W	240V	860	4000K	Ø90MM - 150MM

- COLOUR: BLACK
- E27
- IP21
- METAL




WL 2252



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2252	4W	240V	380	3000K	115x276MM

- COLOUR: BLACK
- E27
- IP44
- BRASS




WL 2266



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2266	4W	240V	390	3000K	200x250x40MM
WL2069	5W	240V	350	3000K	400x100x31MM
WL2132	4W	240V	350	1700K	ADJUSTABLE

- COLOUR: BLACK/WHITE
- E27
- IP21
- METAL
- DECORATIVE WIRES : DIFFERENT COLOURS



WL2069



WL2132

ALSO AVAILABLE


WL 2172



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2172	4W	240V	300	1700K	Ø10x200MM
WL2173	4W	240V	390	3000K	Ø10x200MM
WL2172-WASHER	2,5W	240V	220	3000K	Ø10x200MM

- COLOUR: BLACK/WHITE
- E27
- IP21
- METAL
- OTHER DIMENSIONS ON REQUEST



WL2173



WL2172-WASHER

ALSO AVAILABLE


WL 2211



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2211	4W	240V	380	3000K	150x100MM

- COLOUR: BLACK/WHITE
- E27
- IP21
- METAL
- OTHER DIMENSIONS ON REQUEST



WL 2285



SPECIFICATIONS

ART.N°	W	V	LUM	K
WL2285	4W	240V	380	3000K

- COLOUR: BLACK
- E27
- IP21
- METAL
- OTHER DIMENSIONS ON REQUEST


WL 2174



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2174	4W	240V	350	1700K	100x100x100MM
WL2176-T1	4W	240V	350	1700K	200x100x100MM
WL2176-T2	4W	240V	390	3000K	200x100x100MM
WL2176-T3	2,5W	240V	220	3000K	200x100x100MM
WL2177	2,5W	240V	220	3000K	200x100x100MM

- COLOUR: BLACK/WHITE
- E27/G9
- IP21
- METAL
- OTHER DIMENSIONS ON REQUEST



ALSO AVAILABLE



WL2176-T1



WL2176-T2



WL2176-T3



WL2177

I WL 2016



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2016	2W	350mA	300	3000K	250x40x18MM

- COLOUR: CHROME
- OLED LUMIBLADE
- BRITE FL301
- IP21
- ALUMINIUM
- FIXATION FOOT

I WL 2017



SPECIFICATIONS

ART.N°	W	V	LUM	K	BØ
WL2017	2W	350mA	300	3000K	140x140x5MM

- COLOUR: BLACK MATT
- OLED LUMIBLADE
- BRITE FL301
- IP21
- ALUMINIUM
- FIXATION FOOT WITH HINGES

NEW OLED TECHNOLOGY

DESIGNED BY

Lign[®]
LIGHT & DESIGN BY LUMINA

OLED BY LUMIBLADE OLED LIGHTING

OLEDs are obviously different from existing light sources, but in what way? OLEDs are surface light sources, rather than spotlights. **Just a mere 0.7 millimetres thick**, OLEDs diffuse a warm, pleasant and homogeneous light over the entire surface. More precisely, OLEDs are composed of **paper-thin layers of organic semiconductors and colour molecules**, which are embedded between a glass and a metal cover on the back. When a voltage is applied, the organic layers begin to light up.

Contrary to LEDs, OLEDs are manufactured using chemically organic material - in other words, carbonate-based components. The final stage incorporates an aluminium cathode. When electrical current is now applied to the OLED, the organic materials are being charged, electrons are being excited to higher levels of energy until the drop down, recombine and emit the light, just like in an anorganic LED, but over a complete surface. Light from OLEDs is characterised by a **natural softness, whilst diffusing nicely** and not dazzling. OLEDs are quick and efficient at converting electrical energy into light, without becoming intensely warm themselves. OLEDs **do not get any warmer than 30 degrees** Celsius. As a result, they can be integrated into materials that never used to be associated with light sources.

USB & QI CHARGERS POWERBOX + SOCKETS




QI CHARGER 13901



SPECIFICATIONS

ART.N°	W	BØ	COLOUR
QI CHARGER 13901	1A	Ø68 / Ø59x12MM	BLACK
INVISIBLE QI CHARGER 14987	2A	Ø60x10MM	BLACK
QI CHARGER + USB 15108	0,7A	Ø70 / Ø60x10MM	WHITE / GREY

- WIRELESS CHARGING
- BØ: 60MM
- INPUT: 5V
- EXTRA ADAPTER POSSIBLE: SEE P79



INVISIBLE QI CHARGER 14987



QI CHARGER + USB 15108

ALSO AVAILABLE


■ USB CHARGER DOUBLE 12V



SPECIFICATIONS

ART.N°	W	OUTPUT	BØ	INPUT	COLOUR
USB CHARGER DOUBLE 12V	2,1A	2x5V	Ø37xØ25xH=25MM	12V	GREY/BLACK/WHITE
USB CHARGER DOUBLE 5V	2,1A	2x5V	Ø37xØ25xH=25MM	5V	BLACK
USB CHARGER SINGLE	3A	5V	45x34x15MM	8V-34V	BLACK
USB CHARGER 2 x 1	2,1A	2x5V	-	5V	BLACK

- EXTRA ADAPTER POSSIBLE SEE P79



■ USB CHARGER DOUBLE 5V



■ USB CHARGER SINGLE



■ USB CHARGER 2 x 1

ALSO AVAILABLE


COMBIBOX G WITH SCHUKO SOCKET 13529



SPECIFICATIONS

ART.N°	SOCKET	SWITCH	COLOURS
13529	SCHUKO	ON/OFF SWITCH	GREY
13665	SCHUKO	ON/OFF SWITCH	CHROME
13959	FRENCH	ON/OFF SWITCH	GREY
13446	UK	ON/OFF SWITCH	GREY
15105	SWISS	ON/OFF SWITCH	GREY
13835	FRENCH	SENSOR DIMMER	GREY
13829	2 x FRENCH	NONE	GREY/BLACK
13828	2 x SCHUKO	NONE	GREY/BLACK

- DIMENSIONS: 140x63x45MM
- IP44
- ALSO AVAILABLE WITH DRIVER 12V DC
- ASK FOR YOUR PERSONALISED BOX !



13665 - BOX G CHROME



13959 - BOX G WITH FR SOCKET



13446 - BOX G WITH UK SOCKET



15105 - BOX G WITH SWISS SOCKET



13835 - BOX G SOCKET & SENSOR DIMMER



13829 / 13828 BOX G - DOUBLE SOCKET


COMBIBOX J WITH FRENCH SOCKET 14097



SPECIFICATIONS

ART.N°	SOCKET	IP	COLOURS
14097	FRENCH	IP44	GREY
14311	USB	IP44	GREY
14096	SCHUKO	IP44	GREY
14347	SCHUKO	IP21	GREY/BLACK
14346	FRENCH	IP21	GREY/BLACK

- DIMENSIONS: 80x63x45MM
- ASK FOR YOUR PERSONALISED BOX !



14311 - BOX J WITH USB



14096 - BOX J WITH SOCKET



14347 / 14346 - COMBIBOX K

ALSO AVAILABLE


COMBIBOX H WITH SCHUKO SOCKET 14038



SPECIFICATIONS

ART.N°	SOCKET	SWITCH	COLOURS
14038	SCHUKO	ON/OFF SWITCH	GREY
14029	FRENCH	ON/OFF SWITCH	GREY
14595	SWISS	ON/OFF SWITCH	GREY
14483	SCHUKO	TOUCH SENSOR CCT	GREY
14373	SCHUKO	TURNING SWITCH CCT	GREY
14720	SCHUKO	TURNING SWITCH CCT	BLACK
14350	2 x SCHUKO	NONE	GREY
13827	2 x FRENCH	NONE	GREY

- DIMENSIONS: 140x63x45MM
- IP21
- ALSO AVAILABLE WITH DRIVER 12V DC
- ASK FOR YOUR PERSONALISED BOX !



ALSO AVAILABLE



14483 - BOX H + SENSOR CCT



14373 / 14720 - BOX H + CCT + SOCKET



14350 - BOX H WITH DOUBLE SOCKET


COMBIBOX L



SPECIFICATIONS

ART.N°	BØ	SWITCH	COLOURS
COMBIBOX L + SWITCH + DRIVER 90mA	182x70x64MM	ROCKER	GREY/BLACK
COMBIXOX B + TOUCHSENSOR	70x98x74MM	SENSOR	GREY/WHITE
COMBIBOX C + SWITCH	75x75x130MM	ROCKER	GREY
COMBIBOX C + USB	75x75x130MM	NONE	GREY

- IP21
- WITH OR WITHOUT DRIVER 12V DC MAX. 15W
- SOCKET: FRENCH / SCHUKO / SWISS



BOX B + TOUCHSENSOR



BOX C + SWITCH



BOX C + USB CHARGER

ALSO AVAILABLE

■ SOCKET + SWITCH



SPECIFICATIONS

ART.N°	BØ
SOCKET + SWITCH	120x60MM
SOCKET + USB CHARGER	120x60MM
SINGLE SOCKET	60x60MM
SINGLE SWITCH	60x60MM

- COLOURS: DIFFERENT COLOURS POSSIBLE
- DIFFERENT SOCKETS POSSIBLE:
 - SHAVER SOCKET
 - SCHUKO SOCKET
 - FRENCH SOCKET
 - SWISS SOCKET
- CABLE LENGTH ON DEMAND



■ SOCKET + USB CHARGER



■ SINGLE SOCKET



■ SINGLE SWITCH

ALSO AVAILABLE

LEDSTRIPS



LED STRIP SIDE LEDS 120L/M



SPECIFICATIONS

ART.N°	W	PCB	LUM / M	LED TYPE
LED STRIP SIDE LEDS 60L/M	4,8W/M	5MM	660	3014
LED STRIP SIDE LEDS 120L/M	9,6W/M	5MM	1320	3014
LED STRIP 2216 LEDS 60L/M	4,8W/M	8MM	700	2216
LED STRIP 2216 LEDS 120L/M	9,6W/M	8MM	1400	2216
LED STRIP 2216 LEDS 240L/M	19,2W/M	8MM	2800	2216
LED STRIP 2835 LEDS 120L/M	9,6W/M	4MM	1400	2835
LED STRIP COB	14W/M	8MM	1300	COB

- 3000K/4000K/6000K
- IP21
- SELF ADHESIVE TAPE
- DIFFERENT LENGTHS = CUSTOM MADE
- 12V DC



LED STRIP 2216 LEDS 60/M



LED STRIP 2216 LEDS 120L/M



LED STRIP 2835 LEDS 120L/M - 4MM PCB



LED STRIP COB

ALSO AVAILABLE

LED STRIP LEDS 30L/M



SPECIFICATIONS

ART.N°	W	V	LUM / M	IP	LED TYPE
LED STRIP LEDS 30L/M	2,4W/M	12V DC	180	IP21/IP44	3528
LED STRIP LEDS 60L/M	4,8W/M	12V DC	360	IP21/IP44	3528
LED STRIP LEDS 120L/M	9,6W/M	12V DC	720	IP21/IP44	3528
LED STRIP LEDS 240L/M	19,2W/M	12V DC	1450	IP21/IP44	3528

- SELF ADHESIVE TAPE
- DIFFERENT LENGTHS = CUSTOM MADE
- 3000K/4000K/6000K



LED STRIP LEDS 60L/M



LED STRIP LEDS 120L/M



LED STRIP LEDS 240L/M

ALSO AVAILABLE

LED STRIP BICOLOUR 120L/M




SPECIFICATIONS

ART.N°	W	V	LUM / M	BØ	IP
LED STRIP BICOLOUR 120L/M	10W/M	12V DC	650		IP21/IP44
DIM TO WARM LEDSTRIP	18W/M	12V DC	224		IP21/IP44
TOUCH PANEL CCT	MAX. 144W	12V/24V DC	-	86x86x36MM	-
SENSOR CCT	MAX.42W	12V/24V DC	-	60x25x11MM	-
CCT CONTROLLER + REMOTE	MAX.200W	12V/24V DC	-	85x45x22MM	-
TOUCH CONTROLLER CCT	MAX.40W	12V/24V DC	-	95x45x9MM	-

- 3000K <=> 6000K CCT
- FOR BI-COLOUR LEDSTRIPS
- BRIGHTNESS + COLOUR TEMPERATURE ADJUSTMENT



DIM TO WARM LEDSTRIP



TOUCH PANEL CCT



SENSOR CCT




CCT CONTROLLER + REMOTE



TOUCH CONTROLLER CCT

LED STRIP RGB 60L/M



SPECIFICATIONS

ART.N°	W	V	LUM / M	BØ
LED STRIP RGBW 60L/M	10W/M	12V DC	650	-
LED STRIP RGBW 120L/M	20W/M	12V DC	1200	-
IR CONTROLLER RGBW	MAX. 72W	12V/24V DC	-	61x35x22MM
RF CONTROLLER	MAX.30W	12V/24V DC	-	101x44x16,5MM

- IP21/IP44
- SELF ADHESIVE TAPE
- FOR RGBW LEDSTRIPS
- DIFFERENT LENGTHS = CUSTOM MADE



LED STRIP RGB 60/M - 120/M



IR CONTROLLER RGBW



RF CONTROLLER

ALSO AVAILABLE

LED STRIP LEDS 30L/M 5V



SPECIFICATIONS

ART.N°	W	V	LUM / M	LAMP
LED STRIP LEDS 30L/M	2W/M	5V DC	180	3000K/4000K/6000K
WIRE 5V WITH HANDSWITCH	-	-	-	-
BATTERY BOX 5V	-	-	-	4 x AA BATTERY


- EXTRA ADAPTER POSSIBLE: SEE P 79



WIRE 5V WITH HANDSWITCH



BATTERY BOX 5V



LED 5V

ALSO AVAILABLE

MIRROR SENSOR



SPECIFICATIONS

ART.N°	W	V	BXH
WIFI SMART MIRROR	-	12V DC	170x72x10MM
BLUE TOOTH SMART MIRROR	-	12V DC	165x88x18MM
BLUE TOOTH SPEAKER	2x3W	12V DC	101x45x25MM
CCT/DIM/ON-OFF	60W	12V DC	155x85x28MM
ON/OFF	60W	12V DC	45x33x15MM

- IP44

ALSO AVAILABLE



WIFI SMART MIRROR



BLUE TOOTH SMART MIRROR



BLUE TOOTH SPEAKER



CCT/DIM/ON-OFF



ON/OFF

TOUCH DIMMER



SPECIFICATIONS

ART.N°	W	V	LED TYPE
TOUCH DIMMER	MAX. 40W	12V/24V DC	95x45x9MM
DIMMER + REMOTE CONTROLLER	MAX. 96W	12V/24V DC	115x56x34MM
DIMMER + REMOTE CONTROLLER PRO	MAX. 4X90W	12V/24V DC	178x45x19MM
TOUCH PANEL SENSORDIMMER	MAX.144W	12V/24V DC	86x86x36MM


- FOR SINGLE-COLOUR LEDSTRIPS
- ADAPTABLE INTENSITY OF LIGHT (0-100%)



DIMMER + REMOTE CONTROLLER



DIMMER + REMOTE CONTROLLER PRO



TOUCH PANEL SENSORDIMMER

ALSO AVAILABLE

■ SENSOR ISD - 9298



SPECIFICATIONS

ART.N°	IBØ / SENSOR EYE	BØ	SENSOR
9298	Ø11x13MM	85x35x19MM	IR SENSOR - MOTION OF DOOR MAX.60MM
9579	Ø11x13MM	83x35x19MM	IR SENSOR - MOTION OF HAND MAX.60MM
9328	20MM	40x70x12MM	PIR SENSOR - DELAY CAN BE SET MAX 3MIN.

- AC100-240V
- RECESSED MOUNTED



■ SENSOR HAND ISW - 9579



■ SENSOR MOTIONDETECTOR ISM - 9328

ALSO AVAILABLE

■ SENSOR HAND ISW - 14448



SPECIFICATIONS

ART.N°	W	IBØ / SENSOR EYE	BØ	SENSOR
14448	MAX. 24W	Ø11x13MM	83x35x19MM	IR SENSOR - MOTION OF HAND MAX 60MM
14897	MAX. 36W	Ø30MM	32x10MM	DIMMER SWITCH
12174	MAX. 15W	Ø12MM	15x24,5MM	DIMMER SWITCH WHITE
13147	MAX. 30W	Ø12MM	15x24,5MM	DIMMER SWITCH GREY
14644	MAX. 15Wx2	Ø12MM	15x24,5MM	DIMMER SWITCH GREY OR WHITE
13217	MAX. 15W	63X10,8MM	88x15x10MM	DOOR OR HAND SWITCH
13460	MAX. 30W	20MM	40x70x12MM	PIR SENSOR - DELAY CAN BE SET MAX 3MIN.

- INPUT 12V DC / OUTPUT 12V DC
- RECESSED MOUNTED



■ DIMMER SWITCH 14897



■ SENSOR IDT 12174



■ DOUBLE SENSOR IDT 14644



■ SENSOR HAND ISW/D 13217



■ SENSOR MOTIONDETECTOR ISM 13460

ALSO AVAILABLE

■ SENSOR INVISIBLE OST-13571-15262



SPECIFICATIONS

ART.N°	W	IBØ/SENSOR EYE	BØ	SENSOR
13571	MAX.30W	-	Ø48x6MM	WOOD SENSOR
15262	MAX.30W	-	Ø48x6MM	WOOD DIMMER
13802	MAX.60W	-	50x50x7,5MM	DIMMER SENSOR
13017	MAX. 30W	-	50x50x7,5MM	DOOR SENSOR
11036	MAX. 30W	DETECTION EYE: 15X12MM	88x15x10MM	WAVE SENSOR

- INPUT 12V DC / OUTPUT 12V DC
- SURFACE MOUNTED



■ SENSOR DIMMER ODT 13802



■ SENSOR OSD 13017



■ SENSOR HAND OSW 11036

ALSO AVAILABLE

ADAPTERDRIVER PLUG-IN 350mA-8971



SPECIFICATIONS

ART.N°	W	OUTPUT	BØ
8971	MAX. 6W	350mA	84x27x38MM
13545	MAX. 7W	12V DC	84x27x38MM
11587	MAX. 12W	12V DC	77x58x22MM
13679	MAX. 18W	12V DC	100x30x45MM

- DIFFERENT WIRES POSSIBLE
- INPUT 220-240V

ACCESSORIES FOR DRIVERS



FOOTSWITCH



HANDSWITCH



3- AND 6-WAY
CONNECTION BOX



ADAPTERDRIVER PLUG-IN MAX. 7W
13545




ADAPTERDRIVER PLUG-IN MAX. 12W
11587



ADAPTERDRIVER PLUG-IN MAX. 18W
13679

ALSO AVAILABLE

DRIVER 350mA-11777



SPECIFICATIONS

ART.N°	W	OUTPUT	BØ
11777	MAX. 12W	350mA	125x50x11MM
8866	MAX. 15W	12V DC	121x45x16MM
14592	MAX. 20W	12V DC	251x30x16MM
10340	MAX. 30W	12V DC	245x30x16MM
14000	MAX. 45W	12V DC	251x30x16MM
10685	MAX. 60W	12V DC	263x58x18MM

- DIFFERENT WIRES POSSIBLE
- INPUT 220-240V



DRIVER 12V DC MAX. 15W - 8866



DRIVER 12V DC MAX. 30W - 10340



DRIVER 12V DC MAX. 45W - 14000



DRIVER 12V DC MAX. 60W - 10685

ALSO AVAILABLE



ELEKTRA PLUG
SYSTEM



WIRE +
FK PLUG



WIRE + FK
2-WAY BOX



RGB PLUGSYSTEM
6-WAY BOX



RGB
FEMALE PLUG



RGB
MALE PLUG



BUILT IN LED CONNECTION
BOX 12V DC



FLAT
PLUG



DIFFERENT
PLUGS



ADAPTER
EURO - UK



ADAPTER
EURO - USA



ADAPTER USB -
EUR - UK



Lign[®]
LIGHT & DESIGN BY LUMINA

LIGN^{BVBA}

Slabbaardstraat - Noord 88
8870 Izegem - Belgium

T +32 (0)51 30 25 13

e-mail: lign@lign.be
www.lign.be